



**250
DUKE**

**NO FILTERS,
NO BULLSHIT.**

KTM



**GEN-3
250 DUKE**

THE THRILL CHASER

Step into the realm of limitless excitement with the **KTM 250 DUKE**. Prepared for the race, this 250cc naked streetfighter possesses authentic racing DNA, marking it as the pioneer of its kind.

BOOK NOW

GEN-3 250 DUKE

DELIVERS
CLASS-ABOVE
PERFORMANCE



❑ 31 PS RAW POWER

❑ 25 Nm TORQUE

The gen-3 KTM 250 Duke, featuring the latest LC4c Engine, offers enhanced power, smooth acceleration, while maintaining the unmistakable Duke character.

BOOK NOW



**POWER ASSIST
SLIPPER CLUTCH**



QUICKSHIFTER+



■ **SLIPPER CLUTCH**

■ **QUICKSHIFTER+**

Slick clutchless up and downshifts while keeping the throttle wide open. **Power Assisted Slipper Clutch** to prevent rear wheel locking and chatter while aggressively downshifting.

New 5" LCD Display with 4-way switch cube for easy vehicle interaction while on the go!

BOOK NOW



GEN-3 250 DUKE

WITH ADVANCED TECHNOLOGY

■ **SUPERMOTO ABS**

■ **ADVANCED CORNERING ABS**

■ **NEW LCD DISPLAY**

Apply full brake pressure before entering and throughout corners. **ABS** engages only when the front tire slips. Enhance braking performance across all riding situations with our state-of-the-art Advanced Cornering ABS. New **5" LCD Display** with 4-way switch cube for easy vehicle interaction while on the go!

BOOK NOW



❑ **UNDERBELLY** EXHAUST

❑ **BIGGER** BRAKES

Improved center of mass for optimum weight distribution with the **new underbelly exhaust**. With great power comes great responsibility and the **gen-3 KTM 250 Duke** now comes with **320 mm brakes** at the front and **240 mm brakes** at the rear - whilst being SUPERMOTO ABS enabled.

BOOK NOW

**GERAMIC
WHITE**



**BLUE
BLACK**



**GEN-3
250
DUKE
COLOURS**



**ELECTRIC
ORANGE**

BOOK NOW

GEN-3 **250 DUKE**

TECHNICAL SPECIFICATIONS

ENGINE TYPE	Single Cylinder, Liquid Cooled, LC4c, FI Engine
ENGINE CAPACITY	249.07 cc
POWER	31 PS @ 9250 rpm
TORQUE	25 Nm @ 7250 rpm
BRAKES (FRONT)	320 mm Disc with Radially mounted calliper
BRAKES (REAR)	240 mm Disc with Floating calliper
ABS	Bosch Dual Channel (with Supermoto mode)
CHASSIS	Split-Trellis frame
KERB WEIGHT	162.8 kg
FUEL TANK CAPACITY	15 L
GEARS	6 Speed with Quickshifter + (Enables clutch-less gear shifting)

BOOK NOW

